

By downloading this file to your computer, you are accepting and agreeing to the terms of AWC's end-user license agreement (EULA), which may be viewed here: [End User License Agreement](#). Copyright infringement is a violation of federal law subject to criminal and civil penalties.

2021

EDITION

# SDPWS<sup>®</sup>

SPECIAL DESIGN PROVISIONS  
FOR WIND AND SEISMIC<sup>®</sup>  
with Commentary



APPROVED  
JULY 22, 2020



AMERICAN  
WOOD  
COUNCIL

**Updates and Errata**

While every precaution has been taken to ensure the accuracy of this document, errors may have occurred during its development. Updates or Errata are posted to the American Wood Council website at [www.awc.org](http://www.awc.org). Technical inquiries may be addressed to [info@awc.org](mailto:info@awc.org).

**The American Wood Council (AWC)** is the voice of North American traditional and engineered wood products. From a renewable resource that absorbs and sequesters carbon, the wood products industry makes products that are essential to everyday life. AWC's engineers, technologists, scientists, and building code experts develop state-of-the-art engineering data, technology, and standards on structural wood products for use by design professionals, building officials, and wood products manufacturers to assure the safe and efficient design and use of wood structural components



# SDPWS

SPECIAL DESIGN PROVISIONS  
FOR WIND AND SEISMIC  
with Commentary

**2021 EDITION**



# **Special Design Provisions For Wind & Seismic with Commentary**

## **2021 EDITION**

**Special Design Provisions for Wind and Seismic with Commentary 2021 Edition**

First Web Release: November 2020

First Printing: December 2021

ISBN: 978-1-940383-14-9

Copyright © 2020 by American Wood Council

All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including, without limitation, electronic, optical, or mechanical means (by way of example and not limitation, photocopying, or recording by or in an information storage retrieval system) without express written permission of the American Wood Council. For information on permission to copy material, please contact:

Copyright Permission  
American Wood Council  
222 Catocin Circle, SE, Suite 201  
Leesburg, VA 20175  
info@awc.org

# TABLE OF CONTENTS

<b>1. Designer Flowchart.....</b>	<b>1</b>	<b>4. Lateral Force-Resisting Systems.....</b>	<b>15</b>
1.1 Flowchart		4.1 General	
<b>2. General Design Requirements.....</b>	<b>3</b>	4.2 Sheathed Wood-Frame Diaphragms	
2.1 General		4.3 Sheathed Wood-Frame Shear Walls	
2.2 Terminology		4.4 Wood Structural Panels Designed to Resist Combined Shear and Uplift from Wind	
2.3 Notation		4.5 Cross-Laminated Timber (CLT) Diaphragms	
<b>3. Members and Connections.....</b>	<b>9</b>	4.6 Cross-Laminated Timber (CLT) Shear Walls	
3.1 Framing		<b>Appendix A.....</b>	<b>53</b>
3.2 Sheathing		<b>Appendix B.....</b>	<b>55</b>
3.3 Connections		<b>References.....</b>	<b>61</b>
3.4 Uplift Force Resisting Systems		<b>Commentary.....</b>	<b>63</b>

## LIST OF TABLES

3.1.1.1 Wall Stud Repetitive Member Factors.....	10	4.2C Nominal Unit Shear Capacities for Sheathed Wood-Frame Diaphragms (Unblocked Wood Structural Panel Diaphragms) .....	27
3.2.1A Nominal Uniform Load Capacities (psf) for Wood Structural Panel Wall Sheathing Resisting Out-of-Plane Wind Loads.....	11	4.2D Nominal Unit Shear Capacities for Sheathed Wood-Frame Diaphragms (Lumber Diaphragms) .....	28
3.2.1B Nominal Uniform Load Capacities (psf) for Wall Sheathing Resisting Out-of-Plane Wind Loads.....	12	4.3.3 Maximum Shear Wall Aspect Ratios.....	31
3.2.2 Nominal Uniform Load Capacities (psf) for Roof Sheathing Resisting Out-of-Plane Wind Loads.....	13	4.3.5.3 Unblocked Shear Wall Adjustment Factor, $C_{(ub)}$ .....	32
4.2.2. Maximum Diaphragm Aspect Ratios (Flat or Sloped Diaphragms) .....	18	4.3.5.6 Shear Capacity Adjustment Factor, $C_o$ .....	34
4.2.3 Diaphragm Deflection Equations.....	19	4.3A Nominal Unit Shear Capacities for Sheathed Wood-Frame Shear Walls (Wood-based Panels) .....	40
4.2A Nominal Unit Shear Capacities for Sheathed Wood-Frame Diaphragms (Blocked Wood Structural Panel Diaphragms).....	25	4.3B Nominal Unit Shear Capacities for Sheathed Wood-Frame Shear Walls (Wood Structural Panels Applied over 1/2" or 5/8" Gypsum Wallboard or Gypsum Sheathing Board).....	41
4.2B Nominal Unit Shear Capacities for Sheathed Wood-Frame Diaphragms (Blocked Wood Structural Panel Diaphragms Utilizing Multiple Rows of Fasteners-High Load Diaphragms).....	26	4.3C Nominal Unit Shear Capacities for Sheathed Wood-Frame Shear Walls (Gypsum and Portland Cement Plaster).....	42

4.3D	Nominal Unit Shear Capacities for Sheathed Wood-Frame Shear Walls (Lumber Shear Walls).....	43	4.4.2	Nominal Uplift Capacity of Wood Structural Panel Sheathing or Siding When Used for Wind Uplift Only over Framing with a Specific Gravity of 0.42 or Greater.....	49
4.4.1	Nominal Uplift Capacity of Wood Structural Panel Sheathing or Siding When Used for Both Shear Walls and Wind Uplift Simultaneously over Framing with a Specific Gravity of 0.42 or Greater.....	48	A1	Standard, Common, Box, and Sinker Nails.....	54
4.4.1.6	Maximum Anchor Bolt Spacing (inches) for Combined Shear and Wind Uplift.....	48	A2	Standard Cut Washers.....	54

## LIST OF FIGURES

4A	Examples of Open Front Structures.....	20	4F	Typical Shear Wall Height-to-Width Ratio for Perforated Shear Walls.....	31
4B	Adjoining Panel Edge Locations.....	22	4G	Panel Attachment.....	45
4C	High Load Diaphragm.....	24	4H	Panel Splice Occurring over Horizontal Framing Member.....	46
4D	Typical Individual Full-Height Wall Segments Height-to-Width Ratio.....	29	4I	Panel Splice Occurring across Stud.....	46
4E	Typical Shear Wall Height-to-Width Ratio for Shear Walls Designed for Force Transfer Around Openings (FTAO).....	30	4J	Sheathing Splice Plate (Alternate Detail).....	47

## LIST OF COMMENTARY TABLES

C3.2A1	Plywood Sheathing Dry Design Bending Capacities.....	68	C4.2.3A	Shear Stiffness, $G_v t_v$ (lb/in. of depth), for Wood Structural Panels.....	82
C3.2A2	Plywood Sheathing Dry Design Shear Capacities in a Plane .....	69	C4.2.3B	Shear Stiffness, $G_v t_v$ (lb/in. of depth), for Other Sheathing Materials.....	82
C3.2B1	OSB Sheathing Dry Design Bending Capacities.....	69	C4.2.3C	Relationships Between Span Rating and Nominal Thickness.....	83
C3.2B2	OSB Sheathing Dry Design Shear Capacities in the Plane.....	69	C4.2.3D	Fastener Slip, $e_n$ (in.).....	83
C3.2C	Cellulosic Fiberboard Sheathing Design Bending Capacities.....	70	C4.2.3E	Data Summary for Blocked and Unblocked Wood Structural Panel Diaphragms .....	83
C3.2D	OSB Single Floor Sheathing Dry Design Bending and Shear Capacities.....	70	C4.2.3F	Data Summary for Horizontal Lumber and Diagonal Lumber Sheathed Diaphragms.....	84
C3.2E	Plywood Single Floor Sheathing Dry Design Bending and Shear Capacities.....	71			

C4.3.4A	Data Summary for Structural Fiberboard, Gypsum Wallboard, Gypsum Sheathing, and Lumber Sheathed Shear Walls.....100	C-B.1	Example $GA_{\text{eff(in-plane)}}$ for in-plane shear.....133
		C-B.2	Typical Connection Details.....134
C4.3.5.1	Dimension of Galvanized Casing Nails in Accordance with ASTM F1667 .....104		

## LIST OF COMMENTARY FIGURES

C3.4	Examples of Roof Uplift Connectors .....72	C4.3.2.2	FTAO Shear Wall Collector.....96
C4.1.5A	Illustration of Subdiaphragm and Continuous Tie Concept (for west wall only).....75	C4.3.4	Comparison of 4-Term and 3-Term Deflection Equations .....98
C4.1.5B	Example Details of Appropriate and Inappropriate Concrete and Masonry Wall Anchorage to Wood Diaphragms.....76	C4.3.4A	Bottom Plate Compression Deformation.....102
C4.1.5C	Example Details of Appropriate and Inappropriate Continuity Tie Details.....76	C4.3.4B	Rigid Body Overturning Component of Shear Wall Deflection .....103
C4.1.8	Trends in Collapse Probability based on Adjacent Story Strength Ratio.....79	C4.3.5	Detail for Adjoining Panel Edges where Structural Panels are Applied to Both Faces of the Wall .....106
C4.2.3A	Diaphragm Dimensions and Shear and Moment Diagram.....85	C4.3.5A	Shear Wall Line ..... 107
C4.2.3B	Diaphragm Chord, Double Top Plate with Two Joints in Upper Plate....85	C4.3.5B	Illustration of Equal Deflection Calculation Method .....107
C4.2.6A	Simple Cantilevered Sheathed Wood-Frame Diaphragm Structure.....90	C4.3.6.1.2	Tension and Compression Force Couple due to Shear Wall Overturning Moment.....111
C4.2.6B	Components of Diaphragm Deflection Contributing to Seismic Story Drift at Edges.....90	C4.3.6A	Distance for Plate Washer Edge to Sheathed Edge .....113
C4.2.8A	Staggering of Nails at Panel Edges of Blocked Diaphragms.....93	C4.3.6B	Section and Elevation View of Plate Washer in Foundation Sill Plate (Raised Floor) Application .....113
C4.2.8B	Examples of Minimum Nominal Width of Nailed Face of Framing or Blocking at Adjoining Panel Edge Locations where Nails are Closely Spaced.....94	C4.4.1.5	Raised-Heel Roof Truss .....117
		C4.4.1A	Anchor Bolt Placement Requirements For Wood Structural Panels Designed to Resist Combined Shear and Wind Uplift.....118
		C4.4.1B	Panel Splice Over Common Horizontal Framing Member.....119

C4.4.1C	Detail for Continuous Panel Between Levels (Load Path for Shear Transfer Into and Out of the Diaphragm Not Shown).....119	C-B.4	Shear Wall Deflection Components due to Panel Bending and Shear, Sliding due to Fastener Slip, Rotation due to Fastener Slip at Vertical Edge Connections, and Rigid Body Rotation.....131
C-B.1	Typical Shear Wall for a) Single Panel Configuration, and (b) Multi-panel Configuration.....126	C-B.5	Illustration of a1, a3, and a5 for a 5-layer panel.....132
C-B.2	Rotation of Individual Panels in a CLT Shear Wall.....127		
C-B.3	Combined Shear and Gravity Loading and Geometry for CLT Shear Wall Composed of Multiple CLT Panels.....128		